

Madison Brame

From: aggie=aggieperilli.com@mg.gospringboard.io on behalf of Aggie Perilli
<aggie@aggieperilli.com>
Sent: Wednesday, April 10, 2024 6:24 PM
To: IRRC
Subject: PUC's enhanced pipeline safety standards

CAUTION: **EXTERNAL SENDER** This email originated from outside of the organization. Do not click links or open attachments unless you recognize the sender and know the content is safe.

Dear Commissioners:

Please support the enhanced safety standards recently approved by the Pennsylvania Public Utility Commission for the construction, operation, maintenance, accident reporting, and public awareness for intrastate hazardous liquid pipelines. Please approve these long-overdue stronger standards.

According to the PUC, there have been 71 hazardous liquid pipeline accidents in Pennsylvania since 2010 that resulted in a release or spill. Between just 2017 and 2018, one pipeline operator, Energy Transfer, had four accidents in Pennsylvania: a pinhole leak on ME1 in Morgantown, an explosion on Revolution in Butler County, an excavator striking ME2 in Delaware County, and a leak on the 12" pipeline that was later repurposed for Mariner East. The frequency of these leaks is frightening, knowing that a pipeline like Mariner East has the potential for a catastrophic event in densely populated communities.

The proposed enhanced standards do not address all hazardous liquid pipeline concerns, but they would address some of those witnessed across Pennsylvania during Mariner East construction. Here are a few examples:

- Residents witnessed construction failures countless times on Mariner East that resulted in inadvertent returns of drilling fluids, subsidence events, and contamination of water wells, rivers and lakes as a result of poor planning and inadequate analysis beforehand of geological and environmental impacts.
- In a number of locations, particularly in High Consequence Areas in Chester County and Delaware County, Mariner East pipes were installed almost touching, much closer than PHMSA's suggested twelve inches apart.
- Across Pennsylvania, property owners experienced unscrupulous behavior by land agents for Mariner East. Property owners were told misinformation and outright lies, and felt threatened and pressured into signing easements.

To protect the the public from hazardous pipelines, Pennsylvania desperately needs stronger rules for the construction, operation and maintenance of these pipelines through our communities and Commonwealth.

I urge you to approve the safety standards for intrastate pipelines transporting hazardous liquids which the PA Public Utility Commission has approved in its Final Form Rulemaking Order.

Sincerely,

Aggie Perilli
403 Atkins Ave.
Lancaster PA, 17603-4912

Madison Brame

From: bbruce2=breezeline.net@mg.gospringboard.io on behalf of Barbara Bruce <bbruce2@breezeline.net>
Sent: Thursday, April 11, 2024 8:59 AM
To: IRRC
Subject: Approve the PUC's enhanced pipeline safety standards

CAUTION: **EXTERNAL SENDER** This email originated from outside of the organization. Do not click links or open attachments unless you recognize the sender and know the content is safe.

Dear Commissioners:

I am writing in support of the enhanced safety standards recently approved by the Pennsylvania Public Utility Commission for the construction, operation, maintenance, accident reporting, and public awareness for intrastate hazardous liquid pipelines. Please approve these long-overdue stronger standards.

According to the PUC, there have been 71 hazardous liquid pipeline accidents in Pennsylvania since 2010 that resulted in a release or spill. Between just 2017 and 2018, one pipeline operator, Energy Transfer, had four accidents in Pennsylvania: a pinhole leak on ME1 in Morgantown, an explosion on Revolution in Butler County, an excavator striking ME2 in Delaware County, and a leak on the 12" pipeline that was later repurposed for Mariner East. The frequency of these leaks is frightening, knowing that a pipeline like Mariner East has the potential for a catastrophic event in any densely populated community.

The proposed enhanced standards do not address all hazardous liquid pipeline concerns, but they would address some of those witnessed across Pennsylvania during Mariner East construction. Here are a few examples:

- Residents witnessed construction failures countless times on Mariner East that resulted in inadvertent returns of drilling fluids, subsidence events, and contamination of water wells, rivers and lakes as a result of poor planning and inadequate analysis beforehand of geological and environmental impacts.
- In a number of locations, particularly in High Consequence Areas in Chester County and Delaware County, Mariner East pipes were installed almost touching, much closer than PHMSA's suggested twelve inches apart.
- Across Pennsylvania, property owners experienced unscrupulous behavior by land agents for Mariner East. Property owners were told misinformation and outright lies, and felt threatened and pressured into signing easements.

To protect the the public from hazardous pipelines, Pennsylvania desperately needs stronger rules for the construction, operation and maintenance of these pipelines through our communities and Commonwealth.

I urge you to approve the safety standards for intrastate pipelines transporting hazardous liquids which the PA Public Utility Commission has approved in its Final Form Rulemaking Order.

Sincerely,

Barbara Bruce
205 Littlejohn Lane
Johnstown PA, 15905-1135

Madison Brame

From: cnunn19=bellsouth.net@mg.gospringboard.io on behalf of Carmen Nunn <cnunn19@bellsouth.net>
Sent: Wednesday, April 10, 2024 5:54 PM
To: IRRC
Subject: Approve the PUC's enhanced pipeline safety standards

CAUTION: **EXTERNAL SENDER** This email originated from outside of the organization. Do not click links or open attachments unless you recognize the sender and know the content is safe.

Dear Commissioners:

I am writing in support of the enhanced safety standards recently approved by the Pennsylvania Public Utility Commission for the construction, operation, maintenance, accident reporting, and public awareness for intrastate hazardous liquid pipelines. Please approve these long-overdue stronger standards.

According to the PUC, there have been 71 hazardous liquid pipeline accidents in Pennsylvania since 2010 that resulted in a release or spill. Between just 2017 and 2018, one pipeline operator, Energy Transfer, had four accidents in Pennsylvania: a pinhole leak on ME1 in Morgantown, an explosion on Revolution in Butler County, an excavator striking ME2 in Delaware County, and a leak on the 12" pipeline that was later repurposed for Mariner East. The frequency of these leaks is frightening, knowing that a pipeline like Mariner East has the potential for a catastrophic event in densely populated communities.

The proposed enhanced standards do not address all hazardous liquid pipeline concerns, but they would address some of those witnessed across Pennsylvania during Mariner East construction. Here are a few examples:

- Residents witnessed construction failures countless times on Mariner East that resulted in inadvertent returns of drilling fluids, subsidence events, and contamination of water wells, rivers and lakes as a result of poor planning and inadequate analysis beforehand of geological and environmental impacts.
- In a number of locations, particularly in High Consequence Areas in Chester County and Delaware County, Mariner East pipes were installed almost touching, much closer than PHMSA's suggested twelve inches apart.
- Across Pennsylvania, property owners experienced unscrupulous behavior by land agents for Mariner East. Property owners were told misinformation and outright lies, and felt threatened and pressured into signing easements.

To protect the the public from hazardous pipelines, Pennsylvania desperately needs stronger rules for the construction, operation and maintenance of these pipelines through our communities and Commonwealth.

I urge you to approve the safety standards for intrastate pipelines transporting hazardous liquids which the PA Public Utility Commission has approved in its Final Form Rulemaking Order.

Sincerely,

Carmen Nunn
3600 Conshohocken Ave Apt 1406
Philadelphia PA, 19131-5325

Madison Brame

From: d.ringle@ieee.org@mg.gospringboard.io on behalf of David Ringle <d.ringle@ieee.org>
Sent: Wednesday, April 10, 2024 5:36 PM
To: IRRC
Subject: Approve the PUC's enhanced pipeline safety standards

CAUTION: **EXTERNAL SENDER** This email originated from outside of the organization. Do not click links or open attachments unless you recognize the sender and know the content is safe.

Dear Commissioners:

I am writing in support of the enhanced safety standards recently approved by the Pennsylvania Public Utility Commission for the construction, operation, maintenance, accident reporting, and public awareness for intrastate hazardous liquid pipelines. Please approve these long-overdue stronger standards.

According to the PUC, there have been 71 hazardous liquid pipeline accidents in Pennsylvania since 2010 that resulted in a release or spill. Between just 2017 and 2018, one pipeline operator, Energy Transfer, had four accidents in Pennsylvania: a pinhole leak on ME1 in Morgantown, an explosion on Revolution in Butler County, an excavator striking ME2 in Delaware County, and a leak on the 12" pipeline that was later repurposed for Mariner East. The frequency of these leaks is frightening, knowing that a pipeline like Mariner East has the potential for a catastrophic event in densely populated communities.

The proposed enhanced standards do not address all hazardous liquid pipeline concerns, but they would address some of those witnessed across Pennsylvania during Mariner East construction. Here are a few examples:

- Residents witnessed construction failures countless times on Mariner East that resulted in inadvertent returns of drilling fluids, subsidence events, and contamination of water wells, rivers and lakes as a result of poor planning and inadequate analysis beforehand of geological and environmental impacts.
- In a number of locations, particularly in High Consequence Areas in Chester County and Delaware County, Mariner East pipes were installed almost touching, much closer than PHMSA's suggested twelve inches apart.
- Across Pennsylvania, property owners experienced unscrupulous behavior by land agents for Mariner East. Property owners were told misinformation and outright lies, and felt threatened and pressured into signing easements.

To protect the the public from hazardous pipelines, Pennsylvania desperately needs stronger rules for the construction, operation and maintenance of these pipelines through our communities and Commonwealth.

I urge you to approve the safety standards for intrastate pipelines transporting hazardous liquids which the PA Public Utility Commission has approved in its Final Form Rulemaking Order.

Sincerely,

David Ringle
7113 Heather Rd
Macungie PA, 18062-9432

Madison Brame

From: epash=diamondpharmacy.com@mg.gospringboard.io on behalf of Eric Pash
<epash@diamondpharmacy.com>
Sent: Thursday, April 11, 2024 9:08 AM
To: IRRC
Subject: Approve the PUC's enhanced pipeline safety standards

CAUTION: **EXTERNAL SENDER** This email originated from outside of the organization. Do not click links or open attachments unless you recognize the sender and know the content is safe.

Dear Commissioners:

I am writing in support of the enhanced safety standards recently approved by the Pennsylvania Public Utility Commission for the construction, operation, maintenance, accident reporting, and public awareness for intrastate hazardous liquid pipelines. Please approve these long-overdue stronger standards.

According to the PUC, there have been 71 hazardous liquid pipeline accidents in Pennsylvania since 2010 that resulted in a release or spill. Between just 2017 and 2018, one pipeline operator, Energy Transfer, had four accidents in Pennsylvania: a pinhole leak on ME1 in Morgantown, an explosion on Revolution in Butler County, an excavator striking ME2 in Delaware County, and a leak on the 12" pipeline that was later repurposed for Mariner East. The frequency of these leaks is frightening, knowing that a pipeline like Mariner East has the potential for a catastrophic event in densely populated communities.

The proposed enhanced standards do not address all hazardous liquid pipeline concerns, but they would address some of those witnessed across Pennsylvania during Mariner East construction. Here are a few examples:

- Residents witnessed construction failures countless times on Mariner East that resulted in inadvertent returns of drilling fluids, subsidence events, and contamination of water wells, rivers and lakes as a result of poor planning and inadequate analysis beforehand of geological and environmental impacts.
- In a number of locations, particularly in High Consequence Areas in Chester County and Delaware County, Mariner East pipes were installed almost touching, much closer than PHMSA's suggested twelve inches apart.
- Across Pennsylvania, property owners experienced unscrupulous behavior by land agents for Mariner East. Property owners were told misinformation and outright lies, and felt threatened and pressured into signing easements.

To protect the the public from hazardous pipelines, Pennsylvania desperately needs stronger rules for the construction, operation and maintenance of these pipelines through our communities and Commonwealth.

I urge you to approve the safety standards for intrastate pipelines transporting hazardous liquids which the PA Public Utility Commission has approved in its Final Form Rulemaking Order.

Sincerely,

Eric Pash
373 Degaetano Road
Indiana PA, 15701-8446

Madison Brame

From: kdm49=netzero.com@mg.gospringboard.io on behalf of Kevin Meehan <kdm49@netzero.com>
Sent: Wednesday, April 10, 2024 8:39 PM
To: IRRC
Subject: Approve the PUC's enhanced pipeline safety standards

CAUTION: **EXTERNAL SENDER** This email originated from outside of the organization. Do not click links or open attachments unless you recognize the sender and know the content is safe.

Dear Commissioners:

I am writing in support of the enhanced safety standards recently approved by the Pennsylvania Public Utility Commission for the construction, operation, maintenance, accident reporting, and public awareness for intrastate hazardous liquid pipelines. Please approve these long-overdue stronger standards.

According to the PUC, there have been 71 hazardous liquid pipeline accidents in Pennsylvania since 2010 that resulted in a release or spill. Between just 2017 and 2018, one pipeline operator, Energy Transfer, had four accidents in Pennsylvania: a pinhole leak on ME1 in Morgantown, an explosion on Revolution in Butler County, an excavator striking ME2 in Delaware County, and a leak on the 12" pipeline that was later repurposed for Mariner East. The frequency of these leaks is frightening, knowing that a pipeline like Mariner East has the potential for a catastrophic event in densely populated communities.

The proposed enhanced standards do not address all hazardous liquid pipeline concerns, but they would address some of those witnessed across Pennsylvania during Mariner East construction. Here are a few examples:

- Residents witnessed construction failures countless times on Mariner East that resulted in inadvertent returns of drilling fluids, subsidence events, and contamination of water wells, rivers and lakes as a result of poor planning and inadequate analysis beforehand of geological and environmental impacts.
- In a number of locations, particularly in High Consequence Areas in Chester County and Delaware County, Mariner East pipes were installed almost touching, much closer than PHMSA's suggested twelve inches apart.
- Across Pennsylvania, property owners experienced unscrupulous behavior by land agents for Mariner East. Property owners were told misinformation and outright lies, and felt threatened and pressured into signing easements.

To protect the the public from hazardous pipelines, Pennsylvania desperately needs stronger rules for the construction, operation and maintenance of these pipelines through our communities and Commonwealth.

I urge you to approve the safety standards for intrastate pipelines transporting hazardous liquids which the PA Public Utility Commission has approved in its Final Form Rulemaking Order.

Sincerely,

Kevin Meehan
108 Stevens lane
Exeter PA, 18643-1219

Madison Brame

From: lpatrick=bucknell.edu@mg.gospringboard.io on behalf of Leslie Patrick <lpatrick@bucknell.edu>
Sent: Wednesday, April 10, 2024 5:31 PM
To: IRRC
Subject: Approve the PUC's enhanced pipeline safety standards

CAUTION: **EXTERNAL SENDER** This email originated from outside of the organization. Do not click links or open attachments unless you recognize the sender and know the content is safe.

Dear Commissioners:

I am writing in support of the enhanced safety standards recently approved by the Pennsylvania Public Utility Commission for the construction, operation, maintenance, accident reporting, and public awareness for intrastate hazardous liquid pipelines. Please approve these long-overdue stronger standards.

According to the PUC, there have been 71 hazardous liquid pipeline accidents in Pennsylvania since 2010 that resulted in a release or spill. Between just 2017 and 2018, one pipeline operator, Energy Transfer, had four accidents in Pennsylvania: a pinhole leak on ME1 in Morgantown, an explosion on Revolution in Butler County, an excavator striking ME2 in Delaware County, and a leak on the 12" pipeline that was later repurposed for Mariner East. The frequency of these leaks is frightening, knowing that a pipeline like Mariner East has the potential for a catastrophic event in densely populated communities.

The proposed enhanced standards do not address all hazardous liquid pipeline concerns, but they would address some of those witnessed across Pennsylvania during Mariner East construction. Here are a few examples:

- Residents witnessed construction failures countless times on Mariner East that resulted in inadvertent returns of drilling fluids, subsidence events, and contamination of water wells, rivers and lakes as a result of poor planning and inadequate analysis beforehand of geological and environmental impacts.
- In a number of locations, particularly in High Consequence Areas in Chester County and Delaware County, Mariner East pipes were installed almost touching, much closer than PHMSA's suggested twelve inches apart.
- Across Pennsylvania, property owners experienced unscrupulous behavior by land agents for Mariner East. Property owners were told misinformation and outright lies, and felt threatened and pressured into signing easements.

To protect the the public from hazardous pipelines, Pennsylvania desperately needs stronger rules for the construction, operation and maintenance of these pipelines through our communities and Commonwealth.

I urge you to approve the safety standards for intrastate pipelines transporting hazardous liquids which the PA Public Utility Commission has approved in its Final Form Rulemaking Order.

Sincerely,

Leslie Patrick
2460 Pleasant Grove Rd
Mifflinburg PA, 17844-7922

Madison Brame

From: pa.dor=verizon.net@mg.gospringboard.io on behalf of Pat Lemay
<pa.dor@verizon.net>
Sent: Wednesday, April 10, 2024 5:54 PM
To: IRRC
Subject: Approve the PUC's enhanced pipeline safety standards

CAUTION: **EXTERNAL SENDER** This email originated from outside of the organization. Do not click links or open attachments unless you recognize the sender and know the content is safe.

Dear Commissioners:

I am writing in support of the enhanced safety standards recently approved by the Pennsylvania Public Utility Commission for the construction, operation, maintenance, accident reporting, and public awareness for intrastate hazardous liquid pipelines. Please approve these long-overdue stronger standards.

According to the PUC, there have been 71 hazardous liquid pipeline accidents in Pennsylvania since 2010 that resulted in a release or spill. Between just 2017 and 2018, one pipeline operator, Energy Transfer, had four accidents in Pennsylvania: a pinhole leak on ME1 in Morgantown, an explosion on Revolution in Butler County, an excavator striking ME2 in Delaware County, and a leak on the 12" pipeline that was later repurposed for Mariner East. The frequency of these leaks is frightening, knowing that a pipeline like Mariner East has the potential for a catastrophic event in densely populated communities.

The proposed enhanced standards do not address all hazardous liquid pipeline concerns, but they would address some of those witnessed across Pennsylvania during Mariner East construction. Here are a few examples:

- Residents witnessed construction failures countless times on Mariner East that resulted in inadvertent returns of drilling fluids, subsidence events, and contamination of water wells, rivers and lakes as a result of poor planning and inadequate analysis beforehand of geological and environmental impacts.
- In a number of locations, particularly in High Consequence Areas in Chester County and Delaware County, Mariner East pipes were installed almost touching, much closer than PHMSA's suggested twelve inches apart.
- Across Pennsylvania, property owners experienced unscrupulous behavior by land agents for Mariner East. Property owners were told misinformation and outright lies, and felt threatened and pressured into signing easements.

To protect the the public from hazardous pipelines, Pennsylvania desperately needs stronger rules for the construction, operation and maintenance of these pipelines through our communities and Commonwealth.

I urge you to approve the safety standards for intrastate pipelines transporting hazardous liquids which the PA Public Utility Commission has approved in its Final Form Rulemaking Order.

Sincerely,

Pat Lemay
950 Willow Valley Lakes Drive
Willow Street PA, 17584-9663

Madison Brame

From: rrayzel=shechinah.com@mg.gospringboard.io on behalf of Rayzel Raphael
<rrayzel@shechinah.com>
Sent: Wednesday, April 10, 2024 5:44 PM
To: IRRC
Subject: Approve the PUC's enhanced pipeline safety standards

CAUTION: **EXTERNAL SENDER** This email originated from outside of the organization. Do not click links or open attachments unless you recognize the sender and know the content is safe.

Dear Commissioners:

I am writing in support of the enhanced safety standards recently approved by the Pennsylvania Public Utility Commission for the construction, operation, maintenance, accident reporting, and public awareness for intrastate hazardous liquid pipelines. Please approve these long-overdue stronger standards.

According to the PUC, there have been 71 hazardous liquid pipeline accidents in Pennsylvania since 2010 that resulted in a release or spill. Between just 2017 and 2018, one pipeline operator, Energy Transfer, had four accidents in Pennsylvania: a pinhole leak on ME1 in Morgantown, an explosion on Revolution in Butler County, an excavator striking ME2 in Delaware County, and a leak on the 12" pipeline that was later repurposed for Mariner East. The frequency of these leaks is frightening, knowing that a pipeline like Mariner East has the potential for a catastrophic event in densely populated communities.

The proposed enhanced standards do not address all hazardous liquid pipeline concerns, but they would address some of those witnessed across Pennsylvania during Mariner East construction. Here are a few examples:

- Residents witnessed construction failures countless times on Mariner East that resulted in inadvertent returns of drilling fluids, subsidence events, and contamination of water wells, rivers and lakes as a result of poor planning and inadequate analysis beforehand of geological and environmental impacts.
- In a number of locations, particularly in High Consequence Areas in Chester County and Delaware County, Mariner East pipes were installed almost touching, much closer than PHMSA's suggested twelve inches apart.
- Across Pennsylvania, property owners experienced unscrupulous behavior by land agents for Mariner East. Property owners were told misinformation and outright lies, and felt threatened and pressured into signing easements.

To protect the the public from hazardous pipelines, Pennsylvania desperately needs stronger rules for the construction, operation and maintenance of these pipelines through our communities and Commonwealth.

I urge you to approve the safety standards for intrastate pipelines transporting hazardous liquids which the PA Public Utility Commission has approved in its Final Form Rulemaking Order.

Sincerely,

Rayzel Raphael
1211 Ansley Ave.
Elkins Park PA, 19027-3048

Madison Brame

From: rduples1=swarthmore.edu@mg.gospringboard.io on behalf of Robert Duplessis <rduples1@swarthmore.edu>
Sent: Wednesday, April 10, 2024 5:52 PM
To: IRRC
Subject: Approve the PUC's enhanced pipeline safety standards

CAUTION: **EXTERNAL SENDER** This email originated from outside of the organization. Do not click links or open attachments unless you recognize the sender and know the content is safe.

Dear Commissioners:

I am writing in support of the enhanced safety standards recently approved by the Pennsylvania Public Utility Commission for the construction, operation, maintenance, accident reporting, and public awareness for intrastate hazardous liquid pipelines. Please approve these long-overdue stronger standards.

According to the PUC, there have been 71 hazardous liquid pipeline accidents in Pennsylvania since 2010 that resulted in a release or spill. Between just 2017 and 2018, one pipeline operator, Energy Transfer, had four accidents in Pennsylvania: a pinhole leak on ME1 in Morgantown, an explosion on Revolution in Butler County, an excavator striking ME2 in Delaware County, and a leak on the 12" pipeline that was later repurposed for Mariner East. The frequency of these leaks is frightening, knowing that a pipeline like Mariner East has the potential for a catastrophic event in densely populated communities.

The proposed enhanced standards do not address all hazardous liquid pipeline concerns, but they would address some of those witnessed across Pennsylvania during Mariner East construction. Here are a few examples:

- Residents witnessed construction failures countless times on Mariner East that resulted in inadvertent returns of drilling fluids, subsidence events, and contamination of water wells, rivers and lakes as a result of poor planning and inadequate analysis beforehand of geological and environmental impacts.
- In a number of locations, particularly in High Consequence Areas in Chester County and Delaware County, Mariner East pipes were installed almost touching, much closer than PHMSA's suggested twelve inches apart.
- Across Pennsylvania, property owners experienced unscrupulous behavior by land agents for Mariner East. Property owners were told misinformation and outright lies, and felt threatened and pressured into signing easements.

To protect the the public from hazardous pipelines, Pennsylvania desperately needs stronger rules for the construction, operation and maintenance of these pipelines through our communities and Commonwealth.

I urge you to approve the safety standards for intrastate pipelines transporting hazardous liquids which the PA Public Utility Commission has approved in its Final Form Rulemaking Order.

Sincerely,

Robert Duplessis
413 S 24th St
Philadelphia PA, 19146-1148

Madison Brame

From: zeek=pitt.edu@mg.gospringboard.io on behalf of Sharon Jasneski <zeek@pitt.edu>
Sent: Wednesday, April 10, 2024 8:51 PM
To: IRRC
Subject: Approve the PUC's enhanced pipeline safety standards

CAUTION: **EXTERNAL SENDER** This email originated from outside of the organization. Do not click links or open attachments unless you recognize the sender and know the content is safe.

Dear Commissioners:

I am writing in support of the enhanced safety standards recently approved by the Pennsylvania Public Utility Commission for the construction, operation, maintenance, accident reporting, and public awareness for intrastate hazardous liquid pipelines. Please approve these long-overdue stronger standards.

According to the PUC, there have been 71 hazardous liquid pipeline accidents in Pennsylvania since 2010 that resulted in a release or spill. Between just 2017 and 2018, one pipeline operator, Energy Transfer, had four accidents in Pennsylvania: a pinhole leak on ME1 in Morgantown, an explosion on Revolution in Butler County, an excavator striking ME2 in Delaware County, and a leak on the 12" pipeline that was later repurposed for Mariner East. The frequency of these leaks is frightening, knowing that a pipeline like Mariner East has the potential for a catastrophic event in densely populated communities.

The proposed enhanced standards do not address all hazardous liquid pipeline concerns, but they would address some of those witnessed across Pennsylvania during Mariner East construction. Here are a few examples:

- Residents witnessed construction failures countless times on Mariner East that resulted in inadvertent returns of drilling fluids, subsidence events, and contamination of water wells, rivers and lakes as a result of poor planning and inadequate analysis beforehand of geological and environmental impacts.
- In a number of locations, particularly in High Consequence Areas in Chester County and Delaware County, Mariner East pipes were installed almost touching, much closer than PHMSA's suggested twelve inches apart.
- Across Pennsylvania, property owners experienced unscrupulous behavior by land agents for Mariner East. Property owners were told misinformation and outright lies, and felt threatened and pressured into signing easements.

To protect the the public from hazardous pipelines, Pennsylvania desperately needs stronger rules for the construction, operation and maintenance of these pipelines through our communities and Commonwealth.

I urge you to approve the safety standards for intrastate pipelines transporting hazardous liquids which the PA Public Utility Commission has approved in its Final Form Rulemaking Order.

Sincerely,

Sharon Jasneski
210 20th Street
Pittsburgh PA, 15215-2704

Madison Brame

From: sjweyandt=atlanticbb.net@mg.gospringboard.io on behalf of Stephen Weyandt <sjweyandt@atlanticbb.net>
Sent: Wednesday, April 10, 2024 6:33 PM
To: IRRC
Subject: Approve the PUC's enhanced pipeline safety standards

CAUTION: **EXTERNAL SENDER** This email originated from outside of the organization. Do not click links or open attachments unless you recognize the sender and know the content is safe.

Dear Commissioners:

I am writing in support of the enhanced safety standards recently approved by the Pennsylvania Public Utility Commission for the construction, operation, maintenance, accident reporting, and public awareness for intrastate hazardous liquid pipelines. Please approve these long-overdue stronger standards.

According to the PUC, there have been 71 hazardous liquid pipeline accidents in Pennsylvania since 2010 that resulted in a release or spill. Between just 2017 and 2018, one pipeline operator, Energy Transfer, had four accidents in Pennsylvania: a pinhole leak on ME1 in Morgantown, an explosion on Revolution in Butler County, an excavator striking ME2 in Delaware County, and a leak on the 12" pipeline that was later repurposed for Mariner East. The frequency of these leaks is frightening, knowing that a pipeline like Mariner East has the potential for a catastrophic event in densely populated communities.

The proposed enhanced standards do not address all hazardous liquid pipeline concerns, but they would address some of those witnessed across Pennsylvania during Mariner East construction. Here are a few examples:

- Residents witnessed construction failures countless times on Mariner East that resulted in inadvertent returns of drilling fluids, subsidence events, and contamination of water wells, rivers and lakes as a result of poor planning and inadequate analysis beforehand of geological and environmental impacts.
- In a number of locations, particularly in High Consequence Areas in Chester County and Delaware County, Mariner East pipes were installed almost touching, much closer than PHMSA's suggested twelve inches apart.
- Across Pennsylvania, property owners experienced unscrupulous behavior by land agents for Mariner East. Property owners were told misinformation and outright lies, and felt threatened and pressured into signing easements.

To protect the the public from hazardous pipelines, Pennsylvania desperately needs stronger rules for the construction, operation and maintenance of these pipelines through our communities and Commonwealth.

I urge you to approve the safety standards for intrastate pipelines transporting hazardous liquids which the PA Public Utility Commission has approved in its Final Form Rulemaking Order.

Sincerely,

Stephen Weyandt
635 S Terrace Dr
Altoona PA, 16602-2819