

FORM LETTER B #1-9

**Madison Brame**

From: Constantina Hanse <dinaki13@gmail.com>
Sent: Wednesday, April 17, 2024 2:10 AM
To: IRRC
Subject: Please Approve PUC's Final Rules on Hazardous Pipelines

CAUTION: **EXTERNAL SENDER** This email originated from outside of the organization. Do not click links or open attachments unless you recognize the sender and know the content is safe.

Dear Independent Regulatory Review Commission,

Dear IRRC Commissioners,

I'm writing to comment in support of the Pennsylvania Public Utility Commission's final rules that strengthen safety standards for the construction, operation, maintenance, accident reporting, and public awareness for intrastate hazardous liquid pipelines. I ask that the IRRC approve these much-needed standards that will better protect our communities and environment.

These standards are a necessary response after the numerous disasters and accidents during the construction of the Mariner East 2 pipeline. According to the PUC, between 2010 and 2021, there were 71 hazardous liquid pipeline accidents in Pennsylvania that resulted in a release or spill. The potential for a future disaster is especially alarming given the densely populated areas that the Mariner East 2 pipeline runs through.

These new standards are well within the authority of the Public Utility Commission, which is authorized to regulate and supervise all public utilities operating within the state. Hazardous liquid pipelines are considered utilities and therefore within the PUC's authority to regulate. In fact, this rule is also necessary for PUC to fulfill its mandate to ensure that public utilities furnish safe and reasonable service.

I urge you to approve these new, stronger standards completed by the Public Utility Commission in their final rulemaking order. Thank you for your attention to this matter.

Sincerely,
Constantina Hanse
101 Lloyd Ave. Apt. 1
Pittsburgh, PA 15218
412-526-0505

Madison Brame

From: Erik McDarby <emcdarby@rcn.com>
Sent: Wednesday, April 17, 2024 12:34 AM
To: IRRC
Subject: Please Approve PUC's Final Rules on Hazardous Pipelines

CAUTION: **EXTERNAL SENDER** This email originated from outside of the organization. Do not click links or open attachments unless you recognize the sender and know the content is safe.

Dear Independent Regulatory Review Commission,

Dear IRRC Commissioners,

I'm writing to comment in support of the Pennsylvania Public Utility Commission's final rules that strengthen safety standards for the construction, operation, maintenance, accident reporting, and public awareness for intrastate hazardous liquid pipelines. I ask that the IRRC approve these much-needed standards that will better protect our communities and environment.

These standards are a necessary response after the numerous disasters and accidents during the construction of the Mariner East 2 pipeline. According to the PUC, between 2010 and 2021, there were 71 hazardous liquid pipeline accidents in Pennsylvania that resulted in a release or spill. The potential for a future disaster is especially alarming given the densely populated areas that the Mariner East 2 pipeline runs through.

These new standards are well within the authority of the Public Utility Commission, which is authorized to regulate and supervise all public utilities operating within the state. Hazardous liquid pipelines are considered utilities and therefore within the PUC's authority to regulate. In fact, this rule is also necessary for PUC to fulfill its mandate to ensure that public utilities furnish safe and reasonable service.

I urge you to approve these new, stronger standards completed by the Public Utility Commission in their final rulemaking order. Thank you for your attention to this matter.

Sincerely,
Erik McDarby
374 Rutt Road
Bangor, PA 18013
610-442-4100

Madison Brame

From: Lauren Otero <lotoero@cleanair.org>
Sent: Tuesday, April 16, 2024 9:17 PM
To: IRRC
Subject: Please Approve PUC's Final Rules on Hazardous Pipelines

CAUTION: **EXTERNAL SENDER** This email originated from outside of the organization. Do not click links or open attachments unless you recognize the sender and know the content is safe.

Dear Independent Regulatory Review Commission,

Dear IRRC Commissioners,

I'm writing to comment in support of the Pennsylvania Public Utility Commission's final rules that strengthen safety standards for the construction, operation, maintenance, accident reporting, and public awareness for intrastate hazardous liquid pipelines. I ask that the IRRC approve these much-needed standards that will better protect our communities and environment.

These standards are a necessary response after the numerous disasters and accidents during the construction of the Mariner East 2 pipeline. According to the PUC, between 2010 and 2021, there were 71 hazardous liquid pipeline accidents in Pennsylvania that resulted in a release or spill. The potential for a future disaster is especially alarming given the densely populated areas that the Mariner East 2 pipeline runs through.

These new standards are well within the authority of the Public Utility Commission, which is authorized to regulate and supervise all public utilities operating within the state. Hazardous liquid pipelines are considered utilities and therefore within the PUC's authority to regulate. In fact, this rule is also necessary for PUC to fulfill its mandate to ensure that public utilities furnish safe and reasonable service.

I urge you to approve these new, stronger standards completed by the Public Utility Commission in their final rulemaking order. Thank you for your attention to this matter.

Sincerely,
Lauren Otero
762 Church St
Royersford, PA 19468
610-585-1333

Madison Brame

From: Marcia Godich <mgodich@esu.edu>
Sent: Tuesday, April 16, 2024 5:57 PM
To: IRRC
Subject: Please Approve PUC's Final Rules on Hazardous Pipelines

CAUTION: **EXTERNAL SENDER** This email originated from outside of the organization. Do not click links or open attachments unless you recognize the sender and know the content is safe.

Dear Independent Regulatory Review Commission,

Dear IRRC Commissioners,

I'm writing to comment in support of the Pennsylvania Public Utility Commission's final rules that strengthen safety standards for the construction, operation, maintenance, accident reporting, and public awareness for intrastate hazardous liquid pipelines. I ask that the IRRC approve these much-needed standards that will better protect our communities and environment.

These standards are a necessary response after the numerous disasters and accidents during the construction of the Mariner East 2 pipeline. According to the PUC, between 2010 and 2021, there were 71 hazardous liquid pipeline accidents in Pennsylvania that resulted in a release or spill. The potential for a future disaster is especially alarming given the densely populated areas that the Mariner East 2 pipeline runs through.

These new standards are well within the authority of the Public Utility Commission, which is authorized to regulate and supervise all public utilities operating within the state. Hazardous liquid pipelines are considered utilities and therefore within the PUC's authority to regulate.

I urge you to approve these new, stronger standards approved by the Public Utility Commission in their final rulemaking order. Thank you for your attention to this matter.

Sincerely,
Marcia Godich
115 Belleauwood Blvd
Trafford, PA 15085
412-646-4412

Madison Brame

From: Michael Lombardi <mike.lombardi@rcn.com>
Sent: Tuesday, April 16, 2024 8:08 PM
To: IRRC
Subject: Please Approve PUC's Final Rules on Hazardous Pipelines

CAUTION: **EXTERNAL SENDER** This email originated from outside of the organization. Do not click links or open attachments unless you recognize the sender and know the content is safe.

Dear Independent Regulatory Review Commission,

Dear IRRC Commissioners,

I'm writing to comment in support of the Pennsylvania Public Utility Commission's final rules that strengthen safety standards for the construction, operation, maintenance, accident reporting, and public awareness for intrastate hazardous liquid pipelines. I ask that the IRRC approve these much-needed standards that will better protect our communities and environment.

These standards are a necessary response after the numerous disasters and accidents during the construction of the Mariner East 2 pipeline. According to the PUC, between 2010 and 2021, there were 71 hazardous liquid pipeline accidents in Pennsylvania that resulted in a release or spill. The potential for a future disaster is especially alarming given the densely populated areas that the Mariner East 2 pipeline runs through.

These new standards are well within the authority of the Public Utility Commission, which is authorized to regulate and supervise all public utilities operating within the state. Hazardous liquid pipelines are considered utilities and therefore within the PUC's authority to regulate. In fact, this rule is also necessary for PUC to fulfill its mandate to ensure that public utilities furnish safe and reasonable service.

I urge you to approve these new, stronger standards completed by the Public Utility Commission in their final rulemaking order. Thank you for your attention to this matter.

Sincerely,
Michael Lombardi
19 Morning Glory Ln
Levittown, PA 19054
215-547-7096

Madison Brame

From: Sean Hoffmann <shoffmann@cleanair.org>
Sent: Tuesday, April 16, 2024 5:55 PM
To: IRRC
Subject: Please Approve PUC's Final Rules on Hazardous Pipelines

CAUTION: **EXTERNAL SENDER** This email originated from outside of the organization. Do not click links or open attachments unless you recognize the sender and know the content is safe.

Dear Independent Regulatory Review Commission,

Dear IRRC Commissioners,

I'm writing to comment in support of the Pennsylvania Public Utility Commission's final rules that strengthen safety standards for the construction, operation, maintenance, accident reporting, and public awareness for intrastate hazardous liquid pipelines. I ask that the IRRC approve these much-needed standards that will better protect our communities and environment.

These standards are a necessary response after the numerous disasters and accidents during the construction of the Mariner East 2 pipeline. According to the PUC, between 2010 and 2021, there were 71 hazardous liquid pipeline accidents in Pennsylvania that resulted in a release or spill. The potential for a future disaster is especially alarming given the densely populated areas that the Mariner East 2 pipeline runs through.

These new standards are well within the authority of the Public Utility Commission, which is authorized to regulate and supervise all public utilities operating within the state. Hazardous liquid pipelines are considered utilities and therefore within the PUC's authority to regulate.

I urge you to approve these new, stronger standards approved by the Public Utility Commission in their final rulemaking order. Thank you for your attention to this matter.

Sincerely,
Sean Hoffmann
818 South St, Apt 1
Philadelphia, PA 19147

Madison Brame

From: Sigmund Finman <f1@finman-lorin.com>
Sent: Tuesday, April 16, 2024 6:18 PM
To: IRRC
Subject: Please Approve PUC's Final Rules on Hazardous Pipelines

CAUTION: **EXTERNAL SENDER** This email originated from outside of the organization. Do not click links or open attachments unless you recognize the sender and know the content is safe.

Dear Independent Regulatory Review Commission,

Dear IRRC Commissioners,

I'm writing to comment in support of the Pennsylvania Public Utility Commission's final rules that strengthen safety standards for the construction, operation, maintenance, accident reporting, and public awareness for intrastate hazardous liquid pipelines. I ask that the IRRC approve these much-needed standards that will better protect our communities and environment.

These standards are a necessary response after the numerous disasters and accidents during the construction of the Mariner East 2 pipeline. According to the PUC, between 2010 and 2021, there were 71 hazardous liquid pipeline accidents in Pennsylvania that resulted in a release or spill. The potential for a future disaster is especially alarming given the densely populated areas that the Mariner East 2 pipeline runs through.

These new standards are well within the authority of the Public Utility Commission, which is authorized to regulate and supervise all public utilities operating within the state. Hazardous liquid pipelines are considered utilities and therefore within the PUC's authority to regulate.

I urge you to approve these new, stronger standards approved by the Public Utility Commission in their final rulemaking order. Thank you for your attention to this matter.

Sincerely,
Sigmund Finman

Madison Brame

From: Steven Patterson <steve@pattersonmediateam.com>
Sent: Tuesday, April 16, 2024 6:43 PM
To: IRRC
Subject: Please Approve PUC's Final Rules on Hazardous Pipelines

CAUTION: **EXTERNAL SENDER** This email originated from outside of the organization. Do not click links or open attachments unless you recognize the sender and know the content is safe.

Dear Independent Regulatory Review Commission,

Dear IRRC Commissioners,

I'm writing to comment in support of the Pennsylvania Public Utility Commission's final rules that strengthen safety standards for the construction, operation, maintenance, accident reporting, and public awareness for intrastate hazardous liquid pipelines. I ask that the IRRC approve these much-needed standards that will better protect our communities and environment.

These standards are a necessary response after the numerous disasters and accidents during the construction of the Mariner East 2 pipeline. According to the PUC, between 2010 and 2021, there were 71 hazardous liquid pipeline accidents in Pennsylvania that resulted in a release or spill. The potential for a future disaster is especially alarming given the densely populated areas that the Mariner East 2 pipeline runs through.

These new standards are well within the authority of the Public Utility Commission, which is authorized to regulate and supervise all public utilities operating within the state. Hazardous liquid pipelines are considered utilities and therefore within the PUC's authority to regulate. In fact, this rule is also necessary for PUC to fulfill its mandate to ensure that public utilities furnish safe and reasonable service.

I urge you to approve these new, stronger standards completed by the Public Utility Commission in their final rulemaking order. Thank you for your attention to this matter.

Sincerely,
Steven Patterson
220 N 2nd St
Sunbury, PA 17801
570-898-4368

Madison Brame

From: Thomas Nelson <twnelson@erols.com>
Sent: Tuesday, April 16, 2024 10:10 PM
To: IRRC
Subject: Please Approve PUC's Final Rules on Hazardous Pipelines

CAUTION: **EXTERNAL SENDER** This email originated from outside of the organization. Do not click links or open attachments unless you recognize the sender and know the content is safe.

Dear Independent Regulatory Review Commission,

Dear IRRC Commissioners,

I'm writing to comment in support of the Pennsylvania Public Utility Commission's final rules that strengthen safety standards for the construction, operation, maintenance, accident reporting, and public awareness for intrastate hazardous liquid pipelines. I ask that the IRRC approve these much-needed standards that will better protect our communities and environment.

These standards are a necessary response after the numerous disasters and accidents during the construction of the Mariner East 2 pipeline. According to the PUC, between 2010 and 2021, there were 71 hazardous liquid pipeline accidents in Pennsylvania that resulted in a release or spill. The potential for a future disaster is especially alarming given the densely populated areas that the Mariner East 2 pipeline runs through.

These new standards are well within the authority of the Public Utility Commission, which is authorized to regulate and supervise all public utilities operating within the state. Hazardous liquid pipelines are considered utilities and therefore within the PUC's authority to regulate. In fact, this rule is also necessary for PUC to fulfill its mandate to ensure that public utilities furnish safe and reasonable service.

I urge you to approve these new, stronger standards completed by the Public Utility Commission in their final rulemaking order. Thank you for your attention to this matter.

Sincerely,
Thomas Nelson
105 Drexel Ave
Lansdowne, PA 19050
610-626-2577